



OrthoNC.com

ORTHOPAEDIC SPECIALISTS OF NC

GALLAND ARTHROSCOPIC SUB-SCAPULAR DECOMPRESSION POST-SURGICAL REHABILITATION PROTOCOL

POST-OP DAYS 1 – 7

- Sling for comfort – D/C within a few days
- Hand squeezing exercises
- Elbow and wrist active motion (AROM)
- Pendulum exercises
- Active assist motion (AAROM) in pain-free range (supine wand, pulleys, wall climb)
- AROM in pain-free range as tolerated
- Shoulder shrugs / scapular retraction without resistance
- Stationary bike
- Ice pack

GOALS

- Pain control
 - AAROM Flexion and Abduction to 120 degrees
-

DAYS 7 – 14

- Continue appropriate previous exercises
- AAROM, AROM throughout full range as tolerated
- 1-2 Finger Isometrics x 6 (fist in box)
- Theraband for ER and IR with arm at side and pillow or towel roll under arm
- Body Blade

GOAL

- Symmetrical AROM ER and IR
-

WEEKS 2 – 4

- Continue appropriate previous exercises
- PROM / mobilization as needed to regain full motion
- Light Theraband exercises x 6

- Standing rows with Theraband
- Biceps and Triceps PREs with light weight
- Prone scapular retraction without weight
- UBE forwards and backwards at low resistance
- Elliptical trainer
- Stairmaster
- Treadmill – Walking progression program

GOAL

- Full AROM
-

WEEKS 4 – 6

- Continue appropriate previous exercises with increasing resistance
- Push-up progression – Wall to table
- Ball toss with arm at side, light weight
- BAPS on hands
- Treadmill – Running progression program

GOAL

- 30 table push-ups
-

WEEKS 6 – 8

- Continue appropriate previous exercises
- Push-up progression – Table to chair
- Chest press with light weight
- Seated row with light weight
- Fitter on hands
- Ball toss overhead
- Pool therapy

GOAL

- Normal rotator cuff strength
-

MONTHS 2 – 4

- Continue appropriate previous exercises
- Push-ups, regular
- Sit-ups

- Swimming
- Gravitron – Pull-ups, dips
- Running progression to track
- Progressive weight training
- Transition to home / gym program

GOAL

- Resume all activities

DEVELOPED BY:

Mark Galland, MD Kenneth Kirby, PT, DPT

ADAPTED FROM:

Physical Therapy Section
William Beaumont Army Medical Center

SHOULDER POST-OP PHASE I

Perform exercises below frequently: 30 reps, 3 – 5x a day

Grip Squeeze



Elbow active range of motion



Pendulum



Shoulder Shrugs



Ice x 10-15min 2-3 x per day

